maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headquuld be aware that notwithstanding and DMB control number.	ion of information. Send commen arters Services, Directorate for In:	ts regarding this burden estimate formation Operations and Reports	or any other aspect of to s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 2003		2. REPORT TYPE		3. DATES COVERED 00-00-2003 to 00-00-2003	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Acoustic Tomography With Navy Sonars				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Scientific Innovations, Inc., 6 Derring Dale Rd., Radnor, PA,19087				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distribut	ion unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188

Acoustic Tomography With Navy Sonars

John Spiesberger Scientific Innovations, Inc. 6 Derring Dale Rd., Radnor, PA 19087

phone: 610 293 0834 fax: 610 293 0834 email: johnsr@sas.upenn.edu

Contract Number: N00014-03-C-0155

LONG-TERM GOALS

The long-term goal of this research is to understand and predict the spatial coherence of broadband sound in the ocean

OBJECTIVES

We will compare broadband acoustic signals at basin-scales with predictions for spatial coherence. Degradation of coherence will be modeled using spectra of internal waves in the ocean.

APPROACH

Data will be collected from a variety of Navy sonars. Traditional means to process the signals will be done including beamforming, coherent averaging (when dealing with periodic signals), correcting for Doppler shifts (when dealing with mobile sonars), and matched filtering (when a replica with the emitted waveform is available). The data will be interpreted using rays and the sound speed insensitive parabolic approximation (Tappert *et al.* 1995). The acoustic models will be used in conjunction with oceanographic models that contain the best available digital data sets for bathymetry, sound speed fields that vary with range and depth, and internal waves. Spatial coherence will be modeled using the sound speed insensitive parabolic approximation and spectra of internal waves.

WORK COMPLETED

Data have been collected and processed from a wide variety of sonars over basin-scales in the Pacific Ocean. Acoustic models have been developed that incorporate realistic bathymetry, sound speed fields that change with geographic location, and time dependent fluctuations of internal waves obeying a linear dispersion relation.

RESULTS

This program is in its early stages so results are not available.

IMPACT/APPLICATIONS

Reliable models for the coherence of broadband sound are useful for designing and operating sonar and surveillance systems. Many Navy sonars provide an inexpensive and reliable means for collecting data over long distances. These data will accelerate the understanding of how sound propagates, and

may offer a practical means for imaging the sound speed and temperature fields using acoustical tomography.

RELATED PROJECTS

REFERENCES

Tappert, F. D., Spiesberger, J., and Boden, L., New full-wave approximation for ocean acoustic travel time predictions, J. Acoust. Soc. Am., 97, 2771-2782 (1995).

PUBLICATIONS

Spiesberger, J.L., U.S. Navy sources and receivers for studying acoustic propagation and climate change in the ocean, J. Acoust. Soc. Am., (2003) [in press].

Spiesberger, J. L., Tappert, F. D., and Jacobson, A. R.,. Blind prediction of broadband coherence time at basin-scales in the ocean, J. Acoust. Soc. Am. (2003).

Spiesberger, J. L., Acoustic identification of a single transmission at 3115 km from a bottom-mounted source at Kauai, J. Acoust. Am. (2003).